In the Claims:

Please amend the claims as follows:

1. (currently amended) A method comprising:

enabling a destination device to connect to a data source through a first connection utilizing a fixed communications network,

establishing, during a transfer of a data aggregate through the first connection, at the a destination device a second connection to the data source via a wireless communications device operable in a wireless communications network,

receiving one portion portions of the a data aggregate divided into portions through the both first connection and another portion of the data aggregate divided into portions through the second connection connections, and

joining said portions of the data aggregate together to reconstruct said data aggregate.

- 2. (previously presented) The method of claim 1, further comprising performing analysis on the basis of at least one of the following: a connection maximum speed, a connection current speed, an estimated future speed of a connection, amount of data to be transferred, estimated transfer time, and estimated transfer costs.
- 3. (previously presented) The method of claim 2, further comprising adapting a connection parameter on the basis of said analysis.
- 4. (previously presented) The method of claim 2, wherein said second connection is established conditionally at need due to the analysis result.

5. (previously presented) The method of claim 1, wherein a point in said data aggregate determining a beginning of said portion to be transferred through the second connection is established.

- 6. (original) The method of claim 5, wherein said point is established on the basis of connection speed of one or more connections and the size of said data aggregate.
- 7. (currently amended) The method of claim 5, wherein data transfer from said determined point is initiated by utilizing—substantially a data transfer resume functionality.
- 8. (previously presented) The method of claim 1, wherein connection between the wireless communications device and the destination device is wireless or wire-based.
- 9. (previously presented) The method of claim 1, wherein data transfer resources are allocated or released dynamically during a data transfer connection.
- 10. (previously presented) The method of claim 1, wherein prior to establishing said second connection an approval thereto is requested from the user of said destination device.
- 11. (previously presented) The method of claim 1, wherein establishing or releasing said second connection is transparent to the user of said destination device.
- 12. (currently amended) An electronic A device operable in a fixed communications network, comprising:

a processing unit configured to enable to connect to a data source through a first connection utilizing a fixed communications network,

a data transfer module configured to establish, during a transfer of a data aggregate through the first connection, a second connection to the data source via a wireless communications device operable in a wireless communications network, and configured to receive one portion of the data aggregate divided into portions through the first connection and another portion of the data aggregate divided into portions through the second connection, and said processing unit configured to join said portions of the data aggregate together to reconstruct said data aggregate——— a processor for processing instructions. a memory for storing data, and a data transfer module for communicating with a wireless communications device operable in a wireless communications network. wherein the device is also configured for managing transfer of a data aggregate from a data source through said fixed communications network and said wireless communications network via said wireless communications device, said data aggregate divided into at least two portions, one of said at least two portions received through said fixed communications network and the other through said wireless communications network.

13. (canceled)

- 14. (original) The device of claim 12, configured to check what wireless communications devices or connections are available for data transfer.
- 15. (original) The device of claim 12, configured to perform analysis on the basis of at least one of the following: a connection maximum speed, a connection current speed, estimated future speed of a data transfer connection, amount of data to be transferred, estimated transfer time, and estimated transfer costs.

- 16. (original) The device of claim 15, configured to adapt a connection parameter on the basis of said analysis.
- 17. (previously presented) The device of claim 15, configured to establish a connection conditionally at need due to the analysis result.
- 18. (original) The device of claim 12, configured to establish a point in said data aggregate determining a beginning of said portion to be transferred through the fixed or wireless communications network.
- 19. (original) The device of claim 18, configured to established said point on the basis of connection speed of one or more connections and the size of said data aggregate.
- 20. (currently amended) The device of claim 18, configured to initiate data transfer from said determined point by utilizing substantially a data transfer resume functionality.
- 21. (previously presented) The device of claim 12, wherein connection to the wireless communications device is wireless or wire-based.
- 22. (previously presented) The device of claim 12, wherein connection to the fixed communications network is wireless or wire-based.
- 23. (previously presented) The device of claim 12, configured to allocate or release data transfer resources dynamically during a data transfer connection.
- 24. (previously presented) The device of claim 12, configured to request for confirmation from the user of the device prior to establishing said connection through the wireless communications network via the wireless communications device.

25. (currently amended) The device of claim 12, configured to allocate or release a

connection substantially transparently from the user.

26. (currently amended) The device of claim 12 that is substantially a mobile terminal,

a <u>pPDA</u> (Personal <u>d</u>Digital <u>a</u>Assistant), or a computer.

27. (original) The device of claim 15, configured to allocate the capacity of the

connection through the wireless communications network according to the analysis

result.

28. (currently amended) The device of claim 26 that supports at least one of the

following technologies: gGlobal sSystem for mMobile cCommunicationsS, wWideband

<u>c</u>Code <u>d</u>Division <u>m</u>Multiple <u>a</u>Access, <u>e</u>Enhanced <u>d</u>Data rates for GSM <u>e</u>Evolution, or <u>a</u>

<u>h</u>High-<u>s</u>Speed <u>d</u>Downlink <u>p</u>Packet <u>a</u>Access.

29. (currently amended) The device of claim 12, wherein said data aggregate is

substantially a computer file or a combination of multiple files.

30. (canceled)

31. (previously presented) A computer program product comprising code stored on a

readable medium for execution by a processor so as to execute the method of claim 1.

32. (previously presented) A carrier medium carrying the computer executable

program product of claim 31.

33. (canceled)

6

34. (canceled)